
KANGYU



PRODUCT INFORMATION



COMPANY PROFILE

Our company is located in Linyi City,Shandong Province ,China. And we engage in producing PP-R、PE、PE-R pipeline and pipe fittings.The company works on International trade and provides service support to the world’ s pipeline dealers.

We have our own factory.The factory ,founded in 2000.To building a modern factory , we invested in purch asing a series of mechanical equipment,and our factory produces 30,000 tons of cargo annually, with up to 3,000 containers per year.We recruit professional and experienced worker, and integrate human resources with a whole collection of management, operation and service.We provide our partners with professional a nd efficient one-stop service.

The perfected machinery and management system of our company not only can reduce production cost , i mprove delivery time and save purchasing cost for customers ,but also control the quality of every product ion.And we will satisfy your requirements and create the biggest value for you.

Thank you for choosing us,our company is very focused on reputation,with integrity can make a long and successful partnership.

PP-R WATER PIPE PIPE FITTINGS



Product Usage

1. For household
2. For Iindustrial
3. For Purified Water and Drinking Water
4. For the prdouction System and Convening System Of Beverage and Medicine
5. For Air Compression
6. For Agriculture







KANGYU PURE-PLASTIC PP-R PIPE



PP-R COLD WATER PIPE PN12.5	
Code Number	Dimension(mm)
1001	20x2.3
1002	25x2.3
1003	32x2.9
1004	40x3.7
1005	50x4.6
1006	63x5.8
1007	75x6.8
1008	90x8.2
1009	110x10.0
1010	160x14.6



PP-R COLD WATER PIPE PN1.6	
Code Number	Dimension(mm)
1011	20x2.3
1012	25x2.8
1013	32x3.6
1014	40x4.6
1015	50x5.6
1016	63x7.1
1017	75x8.4
1018	90x10.1
1019	110x12.3
1020	160x17.9



PP-R HOT WATER PIPE PN2.0	
Code Number	Dimension(mm)
1021	20x2.8
1022	25x3.5
1023	32x4.4
1024	40x5.5
1025	50x6.9
1026	63x8.6
1027	75x10.3
1028	90x12.3
1029	110x15.1
1030	160x23.3



PP-R HOT WATER PIPE PN2.5	
Code Number	Dimension(mm)
1031	20x3.4
1032	25x4.2
1033	32x5.4




FR/PP－R GLASS FIBER REINFORCED PIPE	
Code Number	Dimension(mm)
1034	20x2.8
1035	20x3.4
1036	25x3.5
1037	32x4.4

KANGYU ALUMINIUM-PLASTIC PPR PIPE




PP-R GB STANDARD	
Code Number	Dimension(mm)
1038	20
1039	25
1040	32
1041	40
1042	50
1043	63



PP-R Nom Standard	
Code Number	Dimension(mm)
1044	20
1045	25
1046	32
1047	40
1048	50
1049	63

Perfect custom service

We can provide the perfect customized scheme for the production, the color, the length, the thickness, and the materials can be customized according to the customer's preference, You can authorize your own brand,and we can do the OEM.The cycle of the customized production is very efficient. The quality and the efficiency are always what we pursuit.



KANGYU PP-R PIPE FITTINGS

Socket



Code Number	Nominal Outer Diameter
2001	20
2002	25
2003	32
2004	40
2005	50
2006	63
2007	75
2008	90
2009	110
2010	160

Elbow 90°



Code Number	Nominal Outer Diameter
2011	20
2012	25
2013	32
2014	40
2015	50
2016	63
2017	75
2018	90
2019	110
2020	160

Tee



Code Number	Nominal Outer Diameter
2021	20
2022	25
2023	32
2024	40
2025	50
2026	63
2027	75
2028	90
2029	110
2030	160

Reducing Elbow 90°



Code Number	Nominal Outer Diameter
2031	L25x20
2032	L32x20
2033	L32x25
2034	L40x20
2035	L40x25
2036	L40x32
2037	L50x20
2038	L50x25
2039	L50x32
2040	L50x40
2041	L63x25
2042	L63x32
2043	L63x40
2044	L63x50

Elbow 45°



Code Number	Nominal Outer Diameter
2045	20
2046	25
2047	32
2048	40
2049	50
2050	63
2051	75
2052	90
2053	110
2054	160

Cap



Code Number	Nominal Outer Diameter
2055	20
2056	25
2057	32
2058	40
2059	50
2060	63
2061	75
2062	90
2063	110
2064	160

KANGYU PP-R PIPE FITTINGS

Reducer Socket



Code Number	Nominal Outer Diameter
2065	25x20
2066	32x20
2067	32x25
2068	40x20
2069	40x25
2070	40x32
2071	50x20
2072	50x25
2073	50x32
2074	50x40
2075	63x20
2076	63x25
2077	63x32
2078	63x40
2079	60x50
2080	75x20
2081	75x25
2082	75x32
2083	75x40
2084	75x50
2085	75x63
2086	90x20
2087	90x25
2088	90x32
2089	90x40
2090	90x50
2091	90x63
2092	90x75
2093	110x25
2094	110x32
2095	110x40
2096	110x50
2097	110x63
2098	110x75
2099	110x90
2100	160x90
2101	160x110

Reduce Tee



Code Number	Nominal Outer Diameter
2102	25x20
2103	32x20
2104	32x25
2105	40x20
2106	40x25
2107	40x32
2108	50x20
2109	50x25
2110	50x32
2111	50x40
2112	63x20
2113	63x25
2114	63x32
2115	63x40
2116	63x50
2117	75x20
2118	75x25
2119	75x32
2120	75x40
2121	75x50
2122	75x63
2123	90x20
2124	90x25
2125	90x32
2126	90x40
2127	90x50
2128	90x63
2129	90x75
2130	110x25
2131	110x32
2132	110x40
2133	110x50
2134	110x63
2135	110x75
2136	110x90
2137	160x75
2138	160x90
2139	160x110

Cross



Code Number	Nominal Outer Diameter
2140	20
2141	25
2142	32
2143	40
2144	50
2145	63

Pipe Plug



Code Number	Nominal Outer Diameter
2146	4寸
2147	6寸
2148	1寸

Short Crooked Bend



Code Number	Nominal Outer Diameter
2149	20
2150	25
2151	32
2152	40
2153	50
2154	63

KANGYU PP-R PIPE FITTINGS

Female Threaded Coupling



Code Number	Nominal Outer Diameter
3001	20x1/2
3002	25x1/2
3003	25x3/4
3004	32x1/2
3005	32x3/4
3006	32x1
3007	40x11/4
3008	50x11/2
3009	63x11/2
3010	75x21/2

Famale Threaded Elbow



Code Number	Nominal Outer Diameter
3011	20x1/2
3012	25x1/2
3013	25x3/4
3014	32x1/2
3015	32x3/4
3016	32x1

Famale Threaded Tee



Code Number	Nominal Outer Diameter
3017	20x1/2
3018	25x1/2
3019	25x3/4
3020	32x1/2
3021	32x3/4
3022	32x1

Male Threaded Coupling



Code Number	Nominal Outer Diameter
3023	20x1/2
3024	25x1/2
3025	25x3/4
3026	32x1/2
3027	32x3/4
3028	32x1
3029	40x11/4
3030	50x11/2
3031	63x11/2
3032	75x21/2

Male Threadde Elbow



Code Number	Nominal Outer Diameter
3033	20x1/2
3034	25x1/2
3035	25x3/4
3036	32x1/2
3037	32x3/4
3038	32x1

Male Threaded Tee



Code Number	Nominal Outer Diameter
3039	20x1/2
3040	25x1/2
3041	25x3/4
3042	32x1/2
3043	32x3/4
3044	32x1

KANGYU PP-R PIPE FITTINGS

Female Threaded Union

A Brass B Iron



Code Number	Nominal Outer Diameter
3045	20
3046	25
3047	32
3048	40
3049	50
3050	63
3051	25x1"

Male Threaded Union

A Brass B Iron



Code Number	Nominal Outer Diameter
3052	20
3053	25
3054	32
3055	40
3056	50
3057	63
3058	25x1"

Stop Valve-A Stop Valve-B



Code Number	Nominal Outer Diameter
3059	20
3060	25
3061	32
3062	40
3063	50
3064	63
3065	75
3066	90
3067	110

Flexible Ball Valve Stainless Croe



Code Number	Nominal Outer Diameter
3076	20
3077	25
3078	32
3079	40
3080	50
3081	63

Brass Ball Valve



Code Number	Nominal Outer Diameter
3082	20
3083	25
3084	32
3085	40
3086	50
3087	63
3088	75
3089	90
3090	110

Double Union Iron Ball Valve Double Union Brass Ball Valve

A B



Code Number	Nominal Outer Diameter
3091	20
3092	25
3093	32
3094	40
3095	50
3096	63
3097	75

KANGYU PP-R PIPE FITTINGS

All Plastic Double Articulated Ball Valve



Code Number	Nominal Outer Diameter
3098	20
3099	25
3100	32

All Plastic Flat Ball Valve



Code Number	Nominal Outer Diameter
3101	20
3102	25
3103	32
3104	40
3105	50
3106	63

Ball With Fermale Stainless Core Stainless



Code Number	Nominal Outer Diameter
3107	20
3108	25
3109	32
3110	40
3111	50
3112	63

Double Union



Code Number	Nominal Outer Diameter
3113	20
3114	25
3115	32
3116	40
3117	50
3118	63

Filter



Code Number	Nominal Outer Diameter
3119	20
3120	25
3121	32
3122	40
3123	50
3124	63

PP-R Topkapi



Code Number	Nominal Outer Diameter
2155	20
2156	25
2157	32
2158	40
2159	50
2160	63

KANGYU PP-R PIPE FITTINGS

Double Elbow A Double Tee B



Code Number	Nominal Outer Diameter
3128	L20x1/2F
3129	L25x1/2F
3130	T20x1/2F
3131	T25x1/2F

Quick Joint



Code Number	Nominal Outer Diameter
2161	20
2162	25
2163	32
2164	40
2165	50
2166	63

Plastic Union



Code Number	Nominal Outer Diameter
2167	20
2168	25
2169	32
2170	40
2171	50
2172	63

Flange



Code Number	Nominal Outer Diameter
2173	40
2174	50
2175	63
2176	75
2177	90
2178	110
2179	160

Check Valve



Code Number	Nominal Outer Diameter
2180	20
2181	25
2182	32
2183	40
2184	50
2185	63

Welding Machine



Code Number	Nominal Outer Diameter
2186	自动20-32
2187	手动20-32
2188	自动20-63
2189	手动20-63
2190	自动75-110
2191	精品75-110

KANGYU PP-R PIPE FITTINGS

PE-PPR Socket



Code Number	Nominal Outer Diameter
2192	20
2193	25
2194	32

PERT-PPR Socket



Code Number	Nominal Outer Diameter
2195	20
2196	25
2197	32

Threaded Female Plug



Code Number	Nominal Outer Diameter
2198	20
2199	25
2200	32

Arrange Ushering Elbow



Code Number	Nominal Outer Diameter
3132	20x1/2
3133	25x1/2
3134	25x3/4

Water Heater Connecting Scket Tdnion



Code Number	Nominal Outer Diameter
3135	20

Water Heater Connecting Elbow union



Code Number	Nominal Outer Diameter
3136	20

Water Heater Connecting Tee Union



Code Number	Nominal Outer Diameter
3137	20

PP-R Clamp



Code Number	Nominal Outer Diameter
2201	20
2202	25
2203	32
2204	40
2205	50
2206	63

Pipe Cutter



Code Number	Nominal Outer Diameter
2207	Small scissors
2208	Red scissors
2209	Green scissors


PE PIPE

Because of its high strength, corrosion resistance and non-toxic,PE is widely used in manufacturing water-supply pipe. Because it will not rust, it is an ideal alternative to ordinary water pipes.















Corrosion resistance

PE has excellent Corrosion resistance,good hygienic properties and long service life.The service life of PE pipe is more than 50 years.This has not only been recognized by international standards and some of the advanced standards abroad, but has been proven by practice.

Flexibility

PE has unique flexibility and excellent scratch resistance .

Low-temperature-resistant

PE has very outstanding low-temperature-resistant.

Fracture toughness

PE has good fracture toughness.

Product Usage：

1.For the Plumbing of Running Water and Architectural

2.For the Industrial Wastewater Discharge

3.For Irrigation and Drainage

4.For Aquaculture

5.For Mine Ventilation

6.For Oil-field Flooding and Conveying

KANGYU HDPE PIPE SERIES



Code Number	Nominal pressure	0.6MPa	0.8MPa	1.0MPa	1.25MPa	1.6MPa
	Standard size than	SDR26	SDR21	SDR17	SDR13.6	SDR11
	Nominal diameter	Wall thickness	Wall thickness	Wall thickness	Wall thickness	Wall thickness
1050	20					2.3
1051	25					2.3
1052	32					3.0
1053	40					3.7
1054	50				3.7	4.6
1055	63				4.7	5.8
1056	75			4.5	5.6	6.8
1057	90		4.3	5.4	6.7	8.2
1058	110	4.2	5.3	6.6	8.1	10.0
1059	125	4.8	6.0	7.4	9.2	11.4
1060	140	5.4	6.7	8.3	10..3	12.7
1061	160	6.2	7.7	9.5	11.8	14.6
1062	180	6.9	8.6	10.7	13.3	16.4
1063	200	7.7	9.6	11.9	14.7	18.2
1064	225	8.6	10.8	13.4	16.6	20.5
1065	250	9.6	11.9	14.8	18.4	22.7
1066	280	10.7	13.4	16.6	20.6	25.4
1067	315	12.1	15.0	18.7	23.2	28.6
1068	355	13.6	16.9	21.1	26.1	32.2
1069	400	15.3	19.1	23.7	29.4	36.3
1070	450	17.2	21.5	26.7	33.1	40.9
1071	500	19.1	23.9	29.7	36.8	45.4
1072	560	21.4	26.7	33.2	41.2	50.8
1073	630	24.1	30.0	37.4	46.3	57.2

KANGYU HDPE PIPE FITTINGS

Socket



Code Number	Nominal Outer Diameter
2230	S20
2231	S25
2232	S32
2233	S40
2234	S50
2235	S63
2236	S75
2237	S90
2238	S110

Elbow 90°



Code Number	Nominal Outer Diameter
2239	L20
2240	L25
2241	L32
2242	L40
2243	L50
2244	L63
2245	L75
2246	L90
2247	L110

Tee



Code Number	Nominal Outer Diameter
2248	T20
2249	T25
2250	T32
2251	T40
2252	T50
2253	T63
2254	T75
2255	T90
2256	T110

Elbow 45°



Code Number	Nominal Outer Diameter
2257	L20x45°
2258	L25x45°
2259	L32x45°
2260	L40x45°
2261	L50x45°
2262	L63x45°
2263	L75x45°
2264	L90x45°
2265	L110x45°

Cap



Code Number	Nominal Outer Diameter
2266	D20
2267	D25
2268	D32
2269	D40
2270	D50
2271	D63
2272	D75
2273	D90
2274	D110

PE Metal Ball Valves



Code Number	Nominal Outer Diameter
2275	Φ20
2276	Φ25
2277	Φ32
2278	Φ40
2279	Φ50
2280	Φ63
2281	Φ75
2282	Φ90
2283	Φ110

KANGYU HDPE PIPE FITTINGS

Reducer Socket



Code Number	Nominal Outer Diameter
2284	S25x20
2285	S32x20
2286	S32x25
2287	S40x20
2288	S40x25
2289	S40x32
2290	S50x20
2291	S50x25
2292	S50x32
2293	S50x40
2294	S63x20
2295	S63x25
2296	S63x32
2297	S63x40
2298	S63x50
2299	S75x32
2300	S75x40
2301	S75x50
2302	S75x63
2303	S90x40
2304	S90x50
2305	S90x63
2306	S90x75
2307	S110x50
2308	S110x63
2309	S110x75
2310	S110x90

Reduce Tee



Code Number	Nominal Outer Diameter
2311	T25x20
2312	T32x20
2313	T32x25
2314	T40x20
2315	T40x25
2316	T40x32
2317	T50x20
2318	T50x25
2319	T50x32
2320	T50x40
2321	T63x20
2322	T63x25
2323	T63x32
2324	T63x40
2325	T63x50
2326	T75x32
2327	T75x40
2328	T75x50
2329	T75x63
2330	T90x40
2331	T90x50
2332	T90x63
2333	T90x75
2334	T110x40
2335	T110x50
2336	T110x63
2337	T110x75
2338	T110x90
2339	T75x25
2340	T90x32
2341	T110x40

Cross



Code Number	Nominal Outer Diameter
2342	110
2343	160
2344	200
2345	250
2146	315

Butt-Welding Tee



Code Number	Nominal Outer Diameter
2347	L63
2348	L75
2349	L90
2350	L110
2351	L125
2352	L140
2353	L160
2354	L200
2355	L225
2356	L250
2357	L315

KANGYU HDPE PIPE FITTINGS

Female Threaded Coupling



Code Number	Nominal Outer Diameter
3138	S20x1/2F
3139	S20x3/4F
3140	S25x1/2F
3141	S25x3/4F
3142	S32x1F
3143	S32x1/2F
3144	S32x3/4F
3145	S40x11/4F
3146	S50x11/2F
3147	S63x2F
3148	S75x21/2F
3149	S90x3F
	S110x4F

Female Threaded Elbow



Code Number	Nominal Outer Diameter
3150	L20x1/2F
3151	L25x1/2F
3152	L25x3/4F
3153	L32x1F
3154	L32x1/2F
3155	L32x3/4F

Female Threaded Tee



Code Number	Nominal Outer Diameter
3156	T20x1/2F
3157	T25x1/2F
3158	T25x3/4F
3159	T32x1/2F
3160	T32x3/4F
3161	T32x1F

Male Threaded Coupling



Code Number	Nominal Outer Diameter
3162	S20x1/2M
3163	S20x3/4M
3164	S25x1/2M
3165	S25x3/4M
3166	S32x1M
3167	S32x1/2M
3168	S32x3/4M
3169	S40x11/4M
3170	S50x11/2M
3171	S63x2M
3172	S75x21/2M
3173	S90x3M
3174	S110x4M

Male Threaded Elbow



Code Number	Nominal Outer Diameter
3175	L20x1/2M
3176	L25x1/2M
3177	L25x3/4M
3178	L32x1M
3179	L32x1/2M
3180	L32x3/4M

Male Threaded Tee



Code Number	Nominal Outer Diameter
3181	T20x1/2M
3182	T25x1/2M
3183	T25x3/4M
3184	T32x2/1M
3185	T32x3/4M
3186	T32x1M

KANGYU HDPE PIPE FITTINGS

Butt-Welding Reducer Socket



Code Number	Nominal Outer Diameter
2358	S75X50
2359	S75X63
2360	S90x40
2361	S90x50
2362	S90x63
2363	S90x75
2364	S110x50
2365	S110x63
2366	S110x75
2367	S110x90
2368	S125x63
2369	S125x75
2370	S125x90
2371	S125x110
2372	S160x50
2373	S160x63
2374	S160x75
2375	S160x90
2376	S160x110
2377	S160x125
2378	S200x63
2379	S200x75
2380	S200x90
2381	S200x110
2382	S200x160
2383	S250x110
2384	S250x160
2385	S250x200
2386	S315x110
2387	S315x160
2388	S315x200
2389	S315x250

Butt-Welding Reducer Tee



Code Number	Nominal Outer Diameter
2390	T75x40
2391	T75x50
2392	T75x63
2393	T90x40
2394	T90x50
2395	T90x63
2396	T90x75
2397	T110x40
2398	T110x50
2399	T110x63
2400	T110x75
2401	T110x90
2402	T125x50
2403	T125x63
2404	T125x75
2405	T125x90
2406	T125x110
2407	T140x90
2408	T140x110
2409	T140x125
2410	T160x50
2411	T160x63
2412	T160x75
2413	T160x90
2414	T160x110
2415	T200x63
2416	T200x75
2417	T200x90
2418	T200x110
2419	T200x160
2420	T250x90
2421	T250x110
2422	T250x160
2423	T250x200

Butt-Welding Elbow 90°



Code Number	Nominal Outer Diameter
2424	L63
2425	L75
2426	L90
2427	L110
2428	L125
2429	L140
2430	L160
2431	L200
2432	L250
2433	L315

Butt-Welding Elbow 45°



Code Number	Nominal Outer Diameter
2434	L75
2435	L90
2436	L110
2437	L125
2438	L140
2439	L160
2440	L200
2441	L250
2442	L315

BUILD A COMPREHENSIVE PIPELINE SYSTEM

KANGYU PIPE INDUSTRY provides high-quality pipeline and pipe fittings for the market, becomes a first-class product suppliers, and cooperates widely with the world manufacturers and upstream customers, with a strong comprehensive strength of enterprises can be achieved from the full set of services,like Pre- design, manufacturing, transportation,and technical guidance. The world's top production equipment,the perfect management system and strict control system of quality will create solution with overall pipeline systems for customers.













PP-R



PB



PE-RT



PE

ISO9001 ISO14001 SGS CE CNAS RoHS DVGW MA AL

KANGYU

PB PE PP-R PE-RT Pipe Pipe Fitting
PP-R Aluminum Plastic Tube

Trust depends on specialt

SHANDONG KANGYU PIPE INDUSTRY CO.,LTD
Fax:+86-539-7168922
Tel:+86-539-8822009/7872766
Wed:www.kangyugy.com
www.sdkangyu.en.alibaba.com
Add:kangyu Industrial Park,Lijiazhai Village
Zaoyuan Town,Lanshan District,Linyi City
Shandong Province.China